

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 10A




FIG. 10B




FIG. 11A




FIG. 11B




FIG. 12A





FIG. 12B






FIG. 12C

FIG. 13




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

TYPICAL PRESSURE ROLL CURVE




FIG. 29

SHOE PRESS CURVE




FIG. 30




FIG. 31

SHOE PRESS WITH LARGE DIAMETER TRANSFER CYLINDER
AND WITH FELT PARTIALLY WRAPPING CYLINDER




FIG. 32

SHOE PRESS TAPERED ON THE EXIT SIDE SO THAT
BLANKET/FELT CAN BE RAPIDLY REMOVED FROM SHEET




FIG. 33

SHOE PRESS TAPERED ON THE EXIT SIDE SO THAT FELT CAN BE
RAPIDLY REMOVED FROM THE SHEET WHILE THE BLANKET IS
SIMULTANEOUSLY RAPIDLY REMOVED FROM THE FELT





FIG. 34






FIG. 35C




FIG. 35B




FIG. 35A

FIG. 36





FIG. 37









FIG. 7



FIG. 8




FIG. 9

